

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/601,225 06/20/2003		Robert F. Burkholder	PTG 02-96-2 9167	
23531	23531 7590 11/02/2005		EXAMINER	
SUITER WEST SWANTZ PC LLO			GILLAN, RYAN P	
14301 FNB PARKWAY SUITE 220 OMAHA, NE 68154			ART UNIT	PAPER NUMBER
			3746	

DATE MAILED: 11/02/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

•	
1	
1/	
•	

	Application No.	Applicant(s)				
Office Action Commons	10/601,225	BURKHOLDER ET AL.				
Office Action Summary	Examiner	Art Unit				
	Ryan P. Gillan	3746				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tim ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONEI	l. ely filed the mailing date of this communication. 0 (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on 20 Ju.	ne 2003					
,	action is non-final.					
						
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
·						
Disposition of Claims						
4) Claim(s) 1-43 is/are pending in the application.						
4a) Of the above claim(s) is/are withdraw	n from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-43</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9) The specification is objected to by the Examiner	-	·				
	10)⊠ The drawing(s) filed on <u>20 June 2005</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
	• • • • • • • • • • • • • • • • • • • •	• •				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
The dail of declaration is objected to by the Exe	aminer. Note the attached Office	Action of form F10-132.				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 	have been received.					
 Copies of the certified copies of the priori application from the International Bureau 		d in this National Stage				
* See the attached detailed Office action for a list of	` '/'	d.				
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date						
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)		atent Application (PTO-152)				
Paper No(s)/Mail Date S Patent and Trademark Office	6)					

Application/Control Number: 10/601,225 Page 2

Art Unit: 3746

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1, 2, 13 and 41-43 are rejected under 35 U.S.C. 102(b) as being anticipated by Nolan (6,375,437). Nolan teaches an air compressor assembly, comprising: an air tank (24) for containing air at an elevated pressure. The air tank having an air inlet port (connected to line 28) and an air outlet port (connected to line 32). An air compressor (14) for supplying air for storage in the air tank through a first tubing (28), the first tubing connecting the air inlet port to the air compressor (clearly seen in figure 1). A second tubing (32) connecting the air outlet port to a manifold assembly (36). The compressed air in the air tank is discharged through the air outlet port, the second tubing, and the manifold assembly during air usage (col. 3 lines 33-43). The air compressor assembly is of a portable type. The air inlet port is positioned at a top wall of the air tank (clearly seen in figure 1).
- 3. Referring to claims 41-43 Nolan teaches the supplying of an air tank for storing air at an elevated pressure and discharging condensate within the air tank, the air being released from the air tank during air usage. The discharged condensate and compressed air are routed through an air outlet tubing, to an air powered tool (col. 1 lines 6-9). The discharging step is performed so that the condensate is discharged in

Art Unit: 3746

small amounts not harmful to the air powered tool (depending on orientation of the apparatus, condensate would inherently discharge along with the compressed air due to gravity and the location of the discharge port).

Page 3

4. Claims 15 and 16 are rejected under 35 U.S.C. 102(b) as being anticipated by Westphal (5,399,072). Westphal teaches an air compressor assembly, comprising: an air tank (14) for containing air at an elevated pressure. The air tank has an air access port therein (connected to the pressure gauge 24), an air compressor (32) for supplying air for storage in the air tank, a first tubing (36) connecting the air compressor to a manifold assembly (28), and a second tubing (clearly seen in figure 4 connecting 28 to the tank) connecting the manifold assembly to the air access port. The compressed air in the air tank is discharged through the air access port, the second tubing, and the manifold assembly during air usage (col. 4 lines 46-64). The air compressor assembly is of a portable type.

Claim Rejections - 35 USC § 103

- 5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 6. Claims 3-12 and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nolan in view of Moore (4,514,019) and Grainger (Industrial and Commercial Equipment and Supplies, General Catalog No. 308, pgs. 1600-1603 (1991)). Nolan teaches the limitations of claims 1, 2 and 13, but fails to teach the portable air

Art Unit: 3746

compressor assembly is enclosed in a shroud and shroud is made of plastic. The shroud includes a handle to allow the portable air compressor assembly to be lifted and transported from place to place and a control panel to allow operation of the portable air compressor assembly to be controlled. The air outlet port positioned at a bottom wall of the air tank and the air inlet port including a check valve for preventing air from flowing from the air tank to the air compressor.

Page 4

- 7. Moore teaches a portable air compressor assembly is enclosed in a shroud (54, 56 & 60) and the shroud is made of plastic (col. 4 line 40). The shroud includes a handle (68) to allow the portable air compressor assembly to be lifted and transported from place to place and a control panel to allow operation of the portable air compressor assembly to be controlled. The air inlet port includes a check valve (167) for preventing air from flowing from the air tank to the air compressor. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Nolan to incorporate the plastic shroud, handle and control panel as taught by Moore as a means creating a portable self-contained apparatus (Abstract). It would also have been obvious to one of ordinary skill in the art at the time of the invention to position the air outlet port at a bottom wall of the air tank in order to allow easier access to the air supply, if the compressor is consistently placed in a high location, like a shelf.
- 8. Claims 17-27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Westphal in view of Moore (4,514019) and Grainger (Industrial and Commercial Equipment and Supplies, General Catalog No. 308, pgs. 1600-1603 (1991)). Westphal teaches the limitations of claims 15 and 16, but fails to teach the portable air

Art Unit: 3746

compressor assembly is enclosed in a shroud and the shroud is made of plastic. The shroud includes a handle to allow the portable air compressor assembly to be lifted and transported from place to place and a control panel to allow operation of the portable air compressor assembly to be controlled. The air outlet port positioned at a bottom wall of the air tank and the air inlet port including a check valve for preventing air from flowing from the air tank to the air compressor.

Page 5

- 9. Moore teaches a portable air compressor assembly is enclosed in a shroud (54, 56 & 60) and the shroud is made of plastic (col. 4 line 40). The shroud includes a handle (68) to allow the portable air compressor assembly to be lifted and transported from place to place and a control panel to allow operation of the portable air compressor assembly to be controlled. The air inlet port includes a check valve (167) for preventing air from flowing from the air tank to the air compressor. The air access port located on the bottom of the tank, given the orientation of the apparatus is not fixed and given its portable nature, is usable under different orientations. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Westphal to incorporate the plastic shroud, handle and control panel as taught by Moore as a means creating a portable self-contained apparatus (Abstract).
- 10. Claims 28, 29 and 39 rejected under 35 U.S.C. 103(a) as being unpatentable over Westphal in view of Strubel (4,828,131). Westphal teaches an air compressor assembly, comprising: an air tank (14) for containing air at an elevated pressure. The air tank having an air access port therein (connected to the pressure gauge 24). An air compressor (32) for supplying air for storage in the air tank. A first tubing (36)

Art Unit: 3746

connecting the air compressor to a manifold assembly (28). A second tubing (clearly seen in figure 4 connecting 28 to the tank) connecting the manifold assembly to the air access port. The compressed air in the air tank is discharged through the air access port, the second tubing, and the manifold assembly during air usage (col. 4 lines 46-64). The air compressor assembly is of a portable type and the air access port is positioned at a top wall of the air tank (clearly seen in figure 1).

Page 6

- 11. Westphal fails to teach the air access port being an open end of a centrally hollow conduit positioned inside the air tank. Strubel teaches an air access port (6) being an open end of a centrally hollow conduit (5) positioned inside the air tank (1). It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Westphal to incorporate the hollow conduit as taught by Strubel as a means of making possible the greatest emptying of fluid from the tank (col. 1 lines 45-52).
- 12. Claims 30-38 and 40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Westphal in view of Strubel and in further view of Moore. Westphal in view of Strubel teach the limitations of claims 28, 29 and 39, but fail to teach the portable air compressor assembly is enclosed in a shroud, the shroud is made of plastic, wherein the shroud includes a handle to allow the portable air compressor assembly to be lifted and transported from place to place and a control panel to allow operation of the portable air compressor assembly to be controlled. The air outlet port positioned at a bottom wall of the air tank and the air inlet port including a check valve for preventing air from flowing from the air tank to the air compressor.

Page 7

Art Unit: 3746

13. Moore teaches a portable air compressor assembly is enclosed in a shroud (54, 56 & 60), the shroud is made of plastic (col. 4 line 40). The shroud includes a handle (68) to allow the portable air compressor assembly to be lifted and transported from place to place and a control panel to allow operation of the portable air compressor assembly to be controlled. The air inlet port includes a check valve (167) for preventing air from flowing from the air tank to the air compressor. It would have been obvious to one of ordinary skill in the art at the time of the invention to modify Westphal to incorporate the plastic shroud, handle and control panel as taught by Moore as a means creating a portable self-contained apparatus (Abstract).

14. During a telephone conversation applicant's attorney, Peng Zhu, on 10/7/05 a provisional election was made and upon further searching of the present invention it has been found that the restricted embodiments are not patentably distinct and so the election restriction is withdrawn. The embodiments of claims 7-11, 21-26 and 34-38 are therefore rejected in view of Grainger as being commonly used and manufactured for commercial use.

Conclusion

- 15. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:
 - Gruber et al. (2002/0009372) teach an air compressor assembly with a shroud.
 - Nagashima (5,370,504) teaches a portable air compressor with a shroud.

Art Unit: 3746

Chamberlin (4,830,056) teaches a compressed air tank with a hollow conduit inserted within the air inlet and outlet.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ryan P. Gillan whose telephone number is 571-272-8381. The examiner can normally be reached on 8:00 am - 4:30 pm; Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Thorpe can be reached on 571-272-4444. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Supervisory Patent Examiner

Group 3700